

AMINO – COMPLEX +

Complementary feed

Composition: 100 g of the product contains: dietary additives – aminoacids: DL-methionine 4,2 g, L-lisine HCl 1,8 g, alanine 2,9 g, arginine 2,9 g, aspartic acid 1,9 g, cysteine 30 mg, glutamic acid 3,9 g, glycine 6,9 g, histidine 4,4 g, hydroxylysine 1,1 g, hydroxyproline 3,9 g, isoleucine 4,5 g, leucine 1,0g, phenylalanine 0,7 g, proline 4,5 g, serine 1,1 g, threonine 0,6 g, tryptophane 30 mg, tyrosine 0,2 g, valine 0,7 g; Vitamins: vitamin B1 (thiamine) 0,2 g, vitamin B2 (riboflavin-Na) 0,4 g, vitamin B5 (calcium pantothenate) 1,0 g, vitamin B6 (pyridoxine) 0,2 g, vitamin K3 0,2 g, vitamin PP (nicotinamide) 2,0 g, vitamin H (biotine) 1,5 mg, vitamin C (ascorbic acid) 2,5 g; technological additives – preservatives: 1,0 g; carrier - 44,6 g

Properties: The amino acids contained in the product are essential for normal growth and healthy development in animals, as well as their productivity. They have also influence on the state of immunity system and the control of metabolism process. The amino acids enable to achieve the proper consumption increments of body weight, especially in case of dietary intake is inadequate.

Indications: The product should be administered in the period of intense growth and development, as well as in the event of high egg laying and stressful situations e.g. vaccinations, inappropriate nutrition, prolonged transport, incidents of colds and overheating etc. The product can be used also in the complementary treatment of infectious diseases, parasitisms, metabolic disorders and disease conditions as an effect of lysine and methionine deficiency.

Application: The product is administered in drinking water in all animal species, in the following quantities: Growth inhibition: 0,5-1,0 g per 1 litre of water for 5-7 days; Heat stress: 1,0-1,5 g per 1 litre of water, administered for 3-4 days if stress causes disappear. Dilute not more than 50 g of the product in 1 litre of water and wait until dissolved completely. The prepared solution, in this way, is administered to animals.

RECOMMENDATIONS FOR USE: Prepared solution should be used within 24 hours.

Special storage precautions: Store below <25°C. Protect from light and moisture.

Special precautions for the disposal of unused product or waste materials: Medicines should not be disposed of via waste water or household waste. Dispose of waste material in accordance with local requirements. This will help protect the environment.