

# CALCIUM PRODUCTS

## CALCIUM DEFICIENCY



## WHEN TO USE THEM?



### **CALCIPRO, CALCIPRO MAX**

- To reduce calcium deficiencies in perinatal period
- In order to decrease the risk of milk fever
- To ensure proper start of lactation

## MAIN ADVANTAGES OF PRODUCTS



### **CALCIPRO**

- High dose of calcium
- Ketosis prevention
- Fast absorption



### **CALCIPRO MAX**

- Small dose
- Liver protection
- Calcium absorption spread in time
- Immunity improvement



## CALCIPRO ACTIVE INGREDIENTS



### Calcium chloride

- absorbs quickly
- prevents hypocalcemia
- provides adequate blood calcium level



### Vitamin E

- has a positive effect on immune processes



### Vitamin D3

- ensures proper absorption of calcium





### Glycerin

- improves the palatability of the product
- is a source of energy
- helps to prevent ketosis



## CALCIPRO HOW TO USE

Species	Dose	How to use	How often
	COW 500 g	orally	1-2 times directly after the calving
	SHEEP GOAT 150 g	orally	1-2 times directly after the delivery




## CALCIPRO MAX ACTIVE INGREDIENTS



### 2 calcium forms: calcium chloride and calcium pantothenate

- high absorbability
- prevention of calcium deficiencies
- absorption spread over time



### Niacin

- covers the liver
- improves energy metabolism
- facilitates liver de-fatting





### Vitamin E and D<sub>3</sub>

- improves the palatability of the product
- is a source of energy
- helps to prevent ketosis



## CALCIPRO MAX HOW TO USE

Species	Dose	How to use	How often
	COW 200 ml	orally	1-2 times directly after the calving
	SHEEP GOAT 50 ml	orally	1-2 times directly after parturition