SUPER VIT MA wsp

Complementary feed for poultry in drinking water

Composition:

1 000 g powder contain

Vitamin A	5 000 000 I.U.	Vitamin B12	5 μg/g
Vitamin D3	600 000 I.U.	Vitamin C	10 g
Vitamin E ace	ate 10 g	Calcium pantothenate	5 g
Vitamin K3	2 g	Folic acid	$0.5 \mathrm{g}$
Vitamin B1	2 g	Nicotinic acid	15 g
Vitamin B2	2 g	Lysine hydrochloride	50 g
Vitamin B6	2 g	Methionine	20 g

Minerals (essential trace elements) as manganese copper and zinc.

INDICATIONS:

For improved breeding results, increase feed efficiency, maintain good performance; vitamin, amino acids and mineral deficiencies. Supportively to diseases and stress conditions.

DOSAGE and USE:

- -For oral administration in feed <u>or</u> drinking water according to individual needs and requirements and vitamin concentration in the feed.
- -Suggested to be 3-5 consecutive days or consult your Vet.
- -Via drinking water, suggested at the rate of 30-200gr **SUPER VIT MA** /200L
- -200L of drinking water are sufficient for 200 chicks age 5 weeks or 1.200 chicks age 10 weeks or 800 layers/pullets.

Poultry: 100gr of **SUPER VIT MA** in 200L of fresh drinking water,

1Kgr **SUPER VIT MA** /ton of feed, that is equivalent to 10 gr per day.

Calves-Foals: 10gr SUPER VIT MA per day.

Weaners: 3-5gr **SUPER VIT MA** per day.

Lambs, piglets: 1gr SUPER VIT MA per day

SPECIAL STORAGE PRECAUTIONS:

Store at temperatures, below 25°C.

Shelf life after reconstitution according to instructions: 24 hours

Once opened, use immediately the content.

Withdrawal period: Meat and offal, milk, eggs -0 days

PACKAGES: 100gr & 1Kgr